ANALYSIS OF SALES OF TREATED WATER BETWEEN DENVER AND OUTSIDE CITY - 2000 (NON-ACCRUAL BASIS) $^{\!1}$

	Revenue		Consumption		Average
		Percent	Amount	Percent	Number of
	Amount	of Total	(000 Gallons)	of Total	Customers
I. <u>DENVER</u>					
A. METERED GENERAL CUSTOMERS					
Residential	\$ 31,206,097	21.73%	17,809,379	21.94%	121,533
Small multi-family	2,853,865	1.99%	1,975,651	2.43%	8,203
Commercial	21,874,352	15.23%	15,538,516	19.14%	14,423
Industrial	1,780,616	1.24%	1,308,870	1.61%	236
	57,714,930	40.19%	36,632,416	45.12%	144,395
B. PRIVATE FIRE PROTECTION SERVICE					
Sprinklers	574,872	0.40%	_ 2		
C. OTHER SALES TO PUBLIC AUTHORITIES	S				
City And County of Denver	3,770,708	2.63%	3,289,900	4.05%	1,001
Other County Agencies	764,915	0.53%	526,116	0.65%	159
State Agencies	476,313	0.33%	344,087	0.42%	63
Federal Agencies	280,422	0.20%	183,769	0.23%	22
	5,292,358	3.69%	4,343,872	5.35%	1,245
TOTAL GALEG OF THE ATTEN WATTEN					
TOTAL SALES OF TREATED WATER - DENVER	(2.592.160	44.200/	40.077.200	50.470/	1.45.640
DENVER	63,582,160	44.28%	40,976,288	50.47%	145,640
Revenue per 1,000 Gallons - Denver			\$1.5517		
II. OUTSIDE CITY					
A. METERED GENERAL CUSTOMERS					
Residential	14,392,333	10.02%	6,679,103	8.23%	33,216
Small multi-family	201,771	0.14%	102,519	0.13%	318
Commercial	6,833,019	4.76%	3,753,750	4.62%	2,677
Industrial	1,528,719	1.06%	868,757	1.07%	7
Residential - Total Service	14,958,586	10.42%	5,646,381	6.96%	28,111
Small multi-family - Total Service	309,703	0.22%	138,112	0.17%	455
Commercial - Total Service	5,023,151	3.50%	2,325,892	2.86%	2,360
Industrial - Total Service	227,734	0.16%	106,984	0.13%	10
	\$ 43,475,016	30.28%	19,621,498	24.17%	67,154

(Continued next page)

¹This schedule represents actual billings made for water during the year. No accruals were made for revenue earned on unbilled accounts. Therefore, amounts on this schedule do not agree with amounts on the Statement of Revenues, Expenses, and Changes in Retained Earnings. The difference from amounts on an accrual basis is immaterial.

²Consumption is considered as part of unaccounted-for treated water.